



SPW

Patent  
PD-02W054

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: : Date: November 7, 2005  
Thomas J. Obert, et al :  
Serial No.: **10/817,400** : Group Art Unit: UNKNOWN  
Filed: 08/03/2004 :  
For : WINDOWED OPTICAL SYSTEM : Examiner: UNKNOWN  
HAVING A TILTED OPTICAL .....

CORRECT! *Notice of Recordation*

Mail Stop Office of Initial Patent Examination's  
Filing Receipt Corrections  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA. 22313-1450

Dear Sirs:

*Notice of Recordation*  
This communication is provided in response to your letter, mailed  
08/12/2005. Please be advised that the Serial Number is incorrect, i.e.,  
"10/909,940". It should be "10/817,400".

Please assure that this change will be reflected on the new filing receipt.  
If additional information is required, the undersigned responsible attorney can be  
reached at (520) 794-7980.

I hereby certify that this  
correspondence is being deposited with  
the United States Postal Service as  
express mail in an envelope addressed  
to: MAIL STOP Office of Initial Patent  
Examination, P.O.Box 1450, Alexandria,  
VA. 22313-1450  
on November 12, 2005.

Aline C. Zimmerman.

*Aline C. Zimmerman*  
Signature

11-12-05  
Date of Signature

Respectfully submitted,

*Thomas J. Finn*

By: Thomas J. Finn  
Attorney for Applicant  
Registration No. 48,066

RAYTHEON COMPANY  
Bldg. EO/E4/N119  
P.O. Box 902  
El Segundo, CA 90245